# Standard for the length of long-span cable trays




## Overview

Explore standard sizes by tray type, understand width and depth limits, and see how to calculate and choose compliant cable tray sizes for real projects.

## Key Takeaways

Long-span cable trays are typically manufactured in standard lengths of 3 to 6 meters, with support intervals determined by tray type, load, and material, generally ranging from 1. 5 to 3 meters for ladder trays.

### Standard Cable Tray Lengths

Cable trays are produced in straight sections to simplify transport and installation. Typical standard lengths are 3 meters (10 feet) and 6 meters (20 feet), though some manufacturers may offer custom lengths for specific projects. These lengths allow for modular installation and compatibility with fittings, bends, and junctions.

### Support Intervals

The support spacing for cable trays depends on the tray type, material, and the weight of the cables: Ladder trays: Designed for heavy cable loads and long spans, ladder trays typically require supports every 1. 5 to 3 meters, depending on the load and material thickness. Perforated or trough trays: These provide continuous bottom support and are generally supported at shorter intervals, often 1.

2 to 2 meters, to prevent sagging and maintain cable alignment. Channel trays: Used for small cable quantities and control wiring, channel trays require closer support spacing, usually 1 to 1. 5 meters, due to their narrow structure.

© 2026 BAGYOU FIBRE NETWORKS · All rights reserved

B

S 7671 emphasizes that cables must be supported to avoid mechanical strain and damage, and all supports should be fire-resistant to prevent premature failure in case of fire. Cable trays installed across access routes should also consider safety and evacuation requirements.

### Factors Affecting Support Distance

Cable weight and type: Heavier power cables require closer support. Tray material and thickness: Thicker steel or aluminum trays can span longer distances. Environmental conditions: High temperatures or corrosive environments may require additional supports.

Fire safety: Supports must comply with fire-resistant standards to maintain system integrity.

### Best Practices

Use manufacturer guidelines for support spacing and load ratings. Ensure supports are aligned and level to prevent tray deflection. Avoid using cable trays as walkways or for supporting personnel.

For bundled tray sections over 5 meters, use timber bearers or equivalent supports during transport and storage to prevent damage. By following these standards, long-span cable trays can safely support cables while maintaining compliance with electrical and fire safety regulations.

## Article Content

Cable Tray Dimensions Guide: Standard Sizes, Tray Types & Sizing

Explore standard sizes by tray type, understand width and depth limits, and see how to calculate and choose compliant cable tray sizes for real projects.

GUIDE CABLE TRAYS TECHNICAL

NEMA VE 1-2017 Specifies requirements for metal cable trays and associated fittings designed for use in accordance with the rules of Canadian Electrical Code, Part I and the National Electrical Code®

B-Line series Cable Tray Design Considerations

The standard NEMA lengths for cable tray are 12, 20, 24 and 30-feet, although some manufacturers like Eaton offer cable tray in lengths up to 40 feet. Selecting a cable tray length is based on several

PRODUCT BROCHURE T&B® Cable Tray Specialty aluminum solutions

*© 2026 BAGYOU FIBRE NETWORKS - All rights reserved*

aluminum cable tray in 40-foot (12.2-meter) straight sections. These longer-length cable tray sections are ideal for industrial and commercial applications such as roadway crossings and pipe bridges or

LEGRAND CABLE TRAYS TECHNICAL GUIDE

NEMA VE 1-2017 Specifies requirements for metal cable trays and associated fittings designed for use in accordance with the rules of Canadian Electrical Code, Part I and the National Electrical Code®

TECHNICAL AND SIZING DATA

LENGTH: The length of standard straight sections is 3 m or 6 m. 9.1 m and 12.2 m long span tray are now also available. Non-standard lengths are also available upon request.

Cable Tray Technical Guide A practical guide to product selection and ...

Cable tray length is selected based on the load to be supported, the distance between the supports (also referred to as the span), and handling and installation constraints.

CABLE TRAY SYSTEMS GUIDE

The design and cost of the cable tray is greatly affected by this designation. In order to determine the most appropriate and economical system, a class should be selected that reflects the actual total

Cable Tray Size Chart and Selection Guide

Understanding the relationship between cable load requirements, future expansion needs, and the available standard electrical cable tray dimensions enables engineers and facility managers

Long Span Cable Tray

Long Span Cable Tray Tthe long span cable tray is suitable for long support spans and high cable load capacity, and conforms to the load/span design specified in IEC 61537. The long

IEC Standard for Cable Tray: Complete Technical Guide

Each tray type comes with design and load parameters as guided by IEC 61537. Tray selection depends on factors like cable type, environment, span

Cable Tray Dimensions Guide: Standard Sizes, Tray

In practice, cable tray dimensions are a system of interrelated measurements —width, depth, length, and material thickness—that directly

*© 2026 BAGYOU FIBRE NETWORKS - All rights reserved*

Cable Tray Support Spacing: Key Guidelines Explained

Cable Management Tray Size: Choose a tray size that will hold the desired amount and length of cable. Support Spacing: Remember the NEC requires no more than 4 feet of support spacing.

PRODUCT BROCHURE T&B® Cable Tray Specialty aluminum solutions

40-foot spans reduce support requirements For cable tray applications lacking sufficient space for the number of supports required for standard-length sections, choose T&B Cable Tray long-span AH1-8

Load over Span Considerations

In the case of electrical products such as cable tray or ladder (which are load rated in kilograms per metre), the span is the distance between support points, separate from the overall length of the tray

An In-depth Analysis for Optimal Cable Tray Support Span

The constructability for the longer span obtained from finite element analysis has been validated in view of manual handling of the cable tray.

Best Practice Guide to Cable Ladder and Cable Tray Systems

Introduction This publication is intended as a practical guide for the proper and safe* installation of cable ladder systems, cable tray systems, channel support systems and associated supports.

Criteria for Sizing, Designing, Installing and Supporting of Cable-Tray ...

1.1 This engineering standard defines the criteria for sizing, designing, specifying, installing and supporting of cable-tray systems. 2. scope

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

*© 2026 BAGYOU FIBRE NETWORKS - All rights reserved*

## Contact Us

Continue your research online:

Website: https://bagyou.es
Technical inquiry: https://bagyou.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

*© 2026 BAGYOU FIBRE NETWORKS - All rights reserved*