Supplier Single Fiber Bidirectional QSFP-DD



Overview

RAD offers dual to single fiber solutions for high-speed, reliable networks. Explore our Bidi QSFP28 adaptors for seamless connectivity.

Key Takeaways

Single-fiber bidirectional (BiDi) QSFP transceivers deliver 100G connectivity over a single strand of single-mode fiber, effectively doubling fiber utilization while supporting distances from 10km up to 80km depending on the model.

Key Features

Bidirectional Transmission: BiDi QSFP modules transmit and receive data simultaneously over a single fiber strand using two distinct wavelengths, typically 1270/1330nm or 1291/1311nm, enabling full-duplex 100Gbps connectivity without requiring a second fiber. Reach and Performance: Cisco QSFP-100G-B20U4-I and QSFP-100G-B20D4-I support up to 20km on single-mode fiber using four multiplexed wavelengths in the O-band, providing full-duplex transmission.

Pro

Labs and NEC offer BiDi solutions with reach options up to 70–80km using LWDM or ZR4 technology, suitable for long-haul and metro networks.



© 2026 BAGYOU FIBRE NETWORKS · All rights reserved

Fiber

Mania and Innovalink provide 10km single-lambda BiDi modules for cost-effective metro and data center interconnects. Wavelength Multiplexing: Modules often use multiple transmitters and receivers combined via diplexers or CWDM grids. For example, Cisco's QSFP modules use four transmitters muxed into a single fiber, with receive wavelengths demultiplexed for full-duplex operation.

Pro

Labs and NEC use single-lambda or multi-wavelength approaches to optimize fiber efficiency. Connector and Form Factor: Most BiDi QSFP modules use a simplex LC connector and are hot-pluggable, compatible with QSFP28 MSA standards, IEEE 802. 3bs, and 100G Lambda specifications, ensuring interoperability across multiple vendors.

Applications: Data Center Interconnects (DCI): Efficiently doubles fiber capacity without additional cabling. Metro and Access Networks: Reduces deployment costs and simplifies fiber management. 5G Fronthaul and Enterprise Backbones: Supports high-density, low-power, and high-bandwidth requirements.

Environmental and Operational Range: Many BiDi modules support standard (0°C to 70°C) and industrial (-40°C to +85°C) temperature ranges, making them suitable for diverse deployment environments.

Advantages of Single-

Fiber Bi

Di QSFPFiber Savings: Reduces fiber usage by 50% compared to conventional dual-fiber transceivers. Cost Efficiency: Lowers infrastructure and deployment costs by using existing fiber. Scalability: Enables doubling of connections on the same fiber infrastructure.

Monitoring and Diagnostics: Integrated Digital Diagnostic Monitoring (DDM/DOM) allows real-time tracking of temperature, voltage, and optical power. SummarySingle-fiber bidirectional QSFP transceivers are a high-performance, cost-effective solution for 100G Ethernet deployments, offering full-duplex transmission over a single fiber, flexible reach options, and compatibility with major OEM switches and routers. They are ideal for data centers, metro networks, and telecom operators seeking to maximize fiber utilization and reduce deployment complexity.

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved

Article Content

Dual to Single Fiber Solutions | RAD BiDi QSFP28 DD Adaptor

RAD offers dual to single fiber solutions for high-speed, reliable networks. Explore our Bidi QSFP28 adaptors for seamless connectivity.

QSFP-DD CONNECTORS & CABLE ASSEMBLIES PRODUCT

Our QSFP-DD cages feature a proprietary heat sink design, making them the only solution to work in 15-18W applications at a low cost – providing superior thermal and signal integrity performance.

QSFP-DD Connectors, Cages and Cable Assemblies

TE''s QSFP-DD 2x1 cages and connectors add to the wide range of existing QSFP-DD surface mount products, providing customers with additional design options

Armored Fiber Optic Cables

Get diverse armored fiber patch cables for stronger protection of the optical fibers and stable transmission to support fiber optic cabling in harsh environments.

Cisco QSFP-DD800 Transceiver Modules Data Sheet

The QSFP-DD800 provides the industry''s highest bandwidth density of any transceiver module and backward compatibility to lower-speed QSFP pluggable modules and cables.

SFP Module Transceivers, Manufacturer & Supplier

The 10G SFP+ dual-fiber optical module is a small, pluggable optical transceiver with a dual-fiber bidirectional design. It uses two independent optical fibers to complete signal transmission (Tx) and

QSFP-DD – GIGALIGHT

These modules are innovative single-mode fibers for solving fiber dispersion issues in high-speed long-distance communication systems. It is designed specifically for compensating dispersion in standard

QSFP DD Cable Assemblies | High Speed Input Output

Amphenol''s QSFP DD (Double Density) copper cable assemblies double the number of channels from 4 to 8 lanes when compared to the existing

QSFP-DD Hardware

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved

The QSFP-DD specification is applicable to pluggable modules or direct attach cables based on multimode fiber, single mode fiber or copper wires. An application reference Model, shown in Figure

100G QSFP28 ER4 30KM LC Optical Transceiver (DML) Suppliers ...

The 100G QSFP28 ER4 optical transceiver delivers carrier-class performance for long-haul data transmission, supporting 100G Ethernet over single-mode fiber up to 30km. Designed for hyperscale

100G QSFP28 ER4 40KM LC Optical Transceiver (DML) Suppliers ...

100G QSFP28 ER4 LC optical transceiver delivers reliable 100GbE transmission up to 40km on single-mode fiber, compliant with IEEE 802.3ba standards. This hot-pluggable module features low power

100G QSFP28 ER4 60KM LC Optical Transceiver (EML) Suppliers ...

Q5: How does 100G QSFP28 BiDi reduce fiber costs? A5: BiDi modules enable bidirectional 100G transmission over a single fiber strand, doubling fiber utilization compared to conventional dual-fiber

Optical Module & Fiber Optic SFP Module Factory Manufacturer Supplier ...

Boost speeds with an effortless optical module transceiver supplier. Find the best fiber optic module factory and SFP optical module manufacturer here st B2B wholesale price.

Top Optical Transceiver Modules for Data Center Applications

Explore the best optical transceiver modules for modern data centers, including SFP+, QSFP28, QSFP-DD, and OSFP. Learn how to select the right module for speed, distance, and

DAC vs AOC vs Fiber + Optics: Which Should You Choose?

Not sure whether to choose DAC, AOC, or Fiber + Optics? Learn the differences, transmission distances, applications, and recommended optical modules for data centers, enterprise

Explanation of Optical Module Parameters

Optical Interface Type: Common optical module interface types include dual LC interface, single LC interface, SC interface, and MPO interface. Dual LC interfaces are suitable for dual-fiber

Fiber Optic Products & Accessories Manufacturer/Supplier

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved

UnitekFiber is a professional manufacturer of fiber Indoor/outdoor cables, MPO/MTP fiber patch cords,fiber optic patch panel. SFP optical transceiver, fiber optical connectivity and PLC splitter. Our

100G QSFP28 / SFP-DD Modules and Cables FAQ | FS

The 100G BiDi transceiver refers to the QSFP28 single-mode fiber bidirectional optical module applied to 100G Ethernet. Each optical port on the QSFP28 BiDi contains both a transmitter and receiver,

Contact Us

Continue your research online:

Website: https://bagyou.es
Technical inquiry: https://bagyou.es/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 BAGYOU FIBRE NETWORKS - All rights reserved